SALINE IRRIGATIONS

Saline irrigations should ideally be performed on both sides 3x/day for 6 weeks after surgery. Purchase a Sinus Rinse (Neilmed \mathbb{R}) starter pack or similar irrigating bottle that may be easily refilled from the chemist. Saline may be purchased or made at home using the following formula:

- 1 teaspoon non-iodized salt (sea salt or cooking salt)
- 1 teaspoon baking soda
- 360mL water (boiled then allowed to cool)

Heat in microwave for 20-30 seconds (until comfortable to drip on hand).

Lean over sink or basin and gently place tip of bottle 1 cm into nostril.

While panting and tilting head over sink, instill ½ bottle into each nostril.

Gently blow nose without blocking nostrils.

Repeat if nose still feels crusted.

Wash bottle after each use with warm soapy water. Store in clean cup with tip down. Once a week wash bottle with vinegar to prevent bacterial growth.

You may notice some dripping during the day when you tilt your head down.

Do not use saline 24 hours before a CT scan (it may cause an appearance like a sinus infection).



North Melbourne ENT ABN 28 582 450 307

100/30 Wreckyn Street
North Melbourne VIC 3051
T 03 9078 8074
F 03 9078 8105
northmelbourne@nment.com.au
www.nment.com.au

Also located at:

Williamstown ENT

54 Electra Street
Williamstown VIC 3016
T 03 9397 5507
F 03 9397 6914
williamstown@nment.com.au

A/Prof Tim Iseli

MBBS (hons.), FRACS

ENT Surgeon

Provider No. 231248MT (N)

Provider No. 231248NB (W)

Dr Claire Iseli

MBBS (hons.), FRACS, MS *ENT Surgeon*Provider No. 246559JX (N)
Provider No. 246559PB (W)

An association of independent practitioners